Hidden Camera Surveillance – The Mobile Camera Experts Tel 1300 76 32 35



PHONE & EMAIL ADVICE – SECURE ONLINE ORDERS OR CALL OUR OFFICE DISCREET OVERNIGHT EXPRESS POSTAGE AUSTRALIA WIDE



5" AHD REAR-VIEW CAMERA AND MONITOR KIT

Model Number – M515-K

Short Description

Why are Hidden Camera Surveillance *Truck, Bus & Trailer Reversing Cameras* different from others? Compare our LCD monitors and *AHD mobile cameras* and see for yourself. AHD (*(Analogue High Definition)* are the best. If you require high visual clarity, there's no point settling for low resolution cheap monitors or cameras. To truly appreciate HD visual quality, AHD monitors demand high resolution *AHD mobile cameras*. Our vehicle monitors and cameras are all AHD 1200 TV Lines or double the clarity of most others.

Description

Ideal for cars, buses, trucks, forklifts, agricultural vehicles, heavy machinery, tractors, trailers, caravans, semi-trailers, horse floats and so much more.

This **5**" *LCD Mobile Monitor Kit* includes our **1200TVL PC-662** sun shielded rear view *IR camera* with a wide angle 120 degree view plus 15m easy Din connect monitor to camera cable.

Hidden Camera Surveillance offers a wide range of *vehicle monitors and mobile cameras (including wireless)* in various shapes and sizes but always maintaining that AHD quality. This *Full Screen Camera AHD Monitor* supports two cameras although only one camera can be displayed at the one time.



This 5" colour monitor as pictured above is available with the U shaped adjustable bracket. Also available with an (optional) windscreen monitor suction cup mounting bracket.

Why are vehicle monitors different quality?

Our AHD monitors are super high resolution 1024 x 600 pixels (not the common lower 600 x 480) so there is a significant difference between the two. The same applies to *our backup and side view mobile cameras*. Most other analogue reversing cameras are IP69 and just 600 TV Lines whereas our cameras are a much higher rated IP69K with an amazing 1200TVL. Does that make a difference? You bet it does.

Reverse Parking Guidelines

Another feature standard in our AHD monitor range are parking guidelines. Most are familiar with *car reversing cameras* and the more advanced in car monitors have parking or reversing guidelines to assist with driver parking. Our *AHD vehicle monitors* support this feature too but it's not an added extra, it's standard.

How many cameras does this 5" AHD Monitor Support?

1 camera and 1 x 15m DIN cable is supplied with this kit however, the monitor supports 2 camera inputs. If adding another camera and cable the driver can manually switch between cameras 1 or 2 full screen. This 5" monitor doesn't support a split view. Our quad monitors on the other hand do support that function. Please note if using your own cameras, beware of compatibility as not all AHD monitors support non AHD cameras.

Warranty

Sure, no problem we offer 2 years camera replacement warranty, express postage excluded. We are an Australian registered ABN company since 1982 not some fly by night business.

Are vehicle monitors easy to install?

Please note we don't install. Our *Monitors* have voltage overload and reverse polarity protection to ensure hardware isn't damaged by fitting mistakes. The monitors support a wide voltage range from 9V-36V which in most cases covers just about all trucks and vehicles.

Other than mounting a few brackets its very much straight forward although you do need to connect the monitor to vehicle power, perhaps at the fuse box. We recommend using the services of a qualified auto electrician for installation as warranty does not apply to damage caused by accidental non-compliant or unqualified installers.

How are cameras connected to a monitor?

Other than *wireless mobile cameras*, Hidden Camera Surveillance provides DIN cables in various 5,10,15 & 20M lengths as pictured below. A 15m DIN cable is included with this kit but available in various lengths separately as well.



Specifications

5" Colour AHD Vehicle Monitor Supports wide voltage 9V-36V Semi tilting camera mounting bracket Mirror and non-mirror viewing functions Reverse Parking Guidelines Single camera full screen view Supports two cameras (selectable full screen camera view) Audio microphone – Optional Monitor sunvisor Ideal for cars, buses, trucks, forklifts, agricultural vehicles, and all other machinery Single Image Display: 720P, 960P & 1080P

Specifications	
Model M515-K	5" Colour AHD Monitor
Description	CVBS/AHD Chipset
Image Device	AHD
Analogue HD	1024 x 600
Display Format	16:9
Technical	
TV System	PAL/NTSC
Mirror Image Switch (monitor)	Yes
Monitor Support	720P/960P/1080P & CVBS
Colour System	Auto
Reverse Parking Guidelines	Yes
Dual Camera Split Screen	Cam1 or 2 full screen only
AGC	Auto
S/N Ratio	Better than 48dB
White Balance	Auto
AV inputs	2
BLC	Auto
Languages	English & others supported
Casing	Metal & hard black plastic composite
Voltage	9V-36V
Operating Temperature	-20°C~75°C , RH95% MAX
Monitor Dimensions	140 (W) x 102 (H)







ra Surveillance